RETURN TO DESIGN DIV.
D12-101

MICHIGAN LO-LOADER BOAT TRAILERS

WITH EXCLUSIVE "ELEVATOR ACTION"

Photo courtesy CYPRESS GARDENS

QUALITY / DEPENDABILITY

HYDRAULICALLY OPERATED

WATER LEVEL

LOADING AND LAUNCHING

EASE OF OPERATION

SELF CONTAINED, MANUALLY OPERATED POWER UNIT, Gently Lowers Your Boat Into The Water.

RETURN TO DESIGN DIV.



New
"ROLLER - VEE"
LOADING GUIDE

PATENT OFFICE
JUL 5 1962
DIVISIONS 81 & 82

The HEIGHT AND *ANGLE* MAKES THE DIFFERENCE!

THE LO-LOADER STORY: Controlled hydraulic action permits lowering of the trailer frame for loading, launching and storage. Hydraulic power raises loaded trailer for road travel.

• LOW ANGLE OF INCLINE - LESS STRAIN ON BOAT

The LO-LOADER permits home garage storage of the Larger Boats. With the LO-LOADER in lowered position, this 19 foot Day Cruiser easily clears the standard 80 inch garage door opening.

HYDRAULIC POWER - Self contained hydraulic unit by Ausco. (No Hoses or Lines). Component parts of automotive type hydraulic jacks used the world over assure dependable performance. Hard chrome plated cylinder for protection against the elements.

★ EASY LAUNCHING — A twist of the wrist will gently lower your boat into the water in a near level semi-floating position, for controlled launching. No wading, no lifting.

★ EASY LOADING — Positive control of trailer frame in relation to water level affords semi-floatation loading. Less winching effort. The "ROLLER-VEE" loading guide leads bow into position in alignment with keel rollers, even in cross winds and currents.

• RUGGED BEAUTY - TUBULAR STEEL CONSTRUCTION

OUT-STANDING LO-LOADER FEATURES


ADJUSTABLE WINCH STAND, BOW STOP ROLLER, HEAVY DUTY WINCH
6000 LB. HYDRAULIC POWER UNIT WITH POSITIVE CONTROL
ADJUSTABLE KEEL ROLLERS
INDIVIDUAL WHEEL SUSPENSION, COIL SPRING KNEE-ACTION OF CAST STEEL CONSTRUCTION, 4 BRONZE BUSHINGS, GREASE FITTINGS
HEAVY GAUGE 2" × 4" RECTANGULAR TUBING
CANVAS COVERED SPONGE RUBBER PADDED ADJUSTABLE CRADLES
SAFETY CHAIN
POSITIVE LOCK FOR ROAD TRAVEL
HEAVY DOUBLE TUBULAR STEEL AXLE, ADJUSTABLE FOR BALANCE
WIDE BASE - DEMOUNTABLE WHEELS
"ROLLER-VEE" LOADING GUIDE
HI-SPEED TAPERED WHEEL BEARINGS - NEOPRENE SEAL
TWIN STOP, TAIL AND DIRECTIONAL SIGNALS. LICENSE PLATE BRACKET
ADJUSTABLE RUBBER TRANSOM SUPPORT ROLLERS

MODEL DB-16



SPECIFICATIONS
Capacity 800 lbs. Overall length 16′ 6″
Recommended for 14 to 16 ft. boats
Tires 5.50 × 8 4 ply

• BEAUTIFUL SEA - SPRITE GREEN ENAMEL FINISH

★ HULL PROTECTION — Cradles with canvas covered sponge rubber padding prevent strain and scuffing on your hull. Roller cradles can be supplied at a small extra charge.

★ ROADABILITY — Individual wheel suspension with coil spring knee action, plus high floatation tires, give your boat a smooth ride. Wide tread axles for added stability.

MODEL DB-17



SPECIFICATIONS
Capacity 1200 lbs. Overall length 17′ 6″
Recommended for 15 to 17 ft. boats
Tires 5.70/5.00 × 8 4 ply

• COMPLETE UNIT - SAFETY CHAIN, TIE DOWNS AND TWIN LIGHTS

MODEL DB-18



SPECIFICATIONS
Capacity 1500 lbs. Overall length 18′ 6″
Recommended for 16 to 18 ft. boats
Tires 6.00 × 12 4 ply
Chrome Wheel Caps

MODEL DB-19




FRONT KEEL ROLLER, 5 3 4" WIDE, RAISES TO LIFT BOAT WHEN TRAILER BED IS LOWERED
EXTRA-HEAVY COUPLER WITH 2" BALL AND REMOVABLE, CASTER-TYPE 3RD WHEEL JACK

SPECIFICATIONS

Capacity 2000 lbs. Overall length 19′ 6″
Recommended for 18 to 20 ft. boats
Tires 6.00 × 12 6 ply
Chrome Wheel Caps

• TRAIL WITH EASE AND CONFIDENCE

PATENT OFFICE
JUL 5 1962
DIVISIONS 81 & 82

MODEL DB-22-T

SPECIFICATIONS

Tandem Capacity 3000 lbs.
Overall length 22′ 6″
Recommended for 20 to 22 ft. boats
Tires 6.00 × 12 6 ply
Chrome Wheel Caps


FRONT KEEL ROLLER, 5 3/4" WIDE, RAISES TO LIFT BOAT WHEN TRAILER BED IS LOWERED
EXTRA-HEAVY COUPLER WITH 2" BALL AND REMOVABLE, CASTER-TYPE 3RD WHEEL JACK

Tandem Models also available on special order in 19′ 6″ and 21′ 6″ overall lengths.

• NEW "ROLLER-VEE" LOADING GUIDE

YOUR

MICIHIGAN
LO-LOADER
TRAILER GUARANTEE

Michigan Boat Trailers when used in accordance within recommended load capacity are unconditionally guaranteed against defective workmanship and material for 120 days from date of original purchase. Parts must be returned for inspection to F. A. LONG CO., Benton Harbor, Michigan. Transportation prepaid. If found to be defective, they will be replaced, no charge.

T C P 10M-961

FOR YOUR ADDED CONVENIENCE AND SAFETY

- For loading, there is the option of the electric driven "POWERWINCH" operated from your car battery.
- For added safety on the highway, KELSEY HAYES electric brakes are available for all **LO-LOADER** trailers.

Authorized *MICHIGAN LO-LOADER* Dealer

SHIPYARD MARINA
ONE STOP FOR ALL YOUR BOATING NEEDS
AT THE SHIPYARD ON NARRAGANSETT BAY
PROVIDENCE-CRANSTON CITY LINE
HO 7-7000

MFG. BY . . .

F. A. LONG COMPANY · Benton Harbor, Michigan